

















| Model                          | Picture   | Specifications  | Warranty |
|--------------------------------|---|---|----------|
| XT595SETY<br>15-D5<br><br>15W  |    | <ol style="list-style-type: none"> <li>1. Solar Panel: Highly efficient monocrystalline silicon of 18V/22W;</li> <li>2. Battery: lifePO4 lithium battery of 12AH/12.8V;</li> <li>3. LED Light: SMD 5050 with rated power of 15W;</li> <li>4. Luminous flux: 1800-2100lm;</li> <li>5. Installation height: 3 to 4 meters; Mast outer diameter: 65-68mm</li> <li>6. Net weight: 8kg±5%</li> <li>7. Gross weight: 18.0kg±5%</li> <li>8. Product Size: 595×490×95mm±5%</li> </ol>   | 6Years   |
| XT925SELD20<br>-D5<br>20W      |   | <ol style="list-style-type: none"> <li>1. Solar Panel: Highly efficient monocrystalline silicon of 18V/35W;</li> <li>2. Battery: lifePO4 lithium battery of 18AH/12.8V;</li> <li>3. LED Light: SMD 5050 with rated power of 20W;</li> <li>4. Luminous flux: 2400-2800lm;</li> <li>5. Installation height: 4to 5 meters; Mast outer diameter: 60mm</li> <li>6. Net weight: 8.8kg±5%</li> <li>7. Gross weight: 19.0kg±5%(2pcs/box)</li> <li>8. Product Size: 925×370×86mm±5%</li> </ol>   | 6Years   |
| XT1050SELD3<br>0-D5<br>30W     |  | <ol style="list-style-type: none"> <li>1. Solar Panel: Highly efficient monocrystalline silicon of 18V/45W;</li> <li>2. Battery: lifePO4 lithium battery of 24AH/12.8V;</li> <li>3. LED Light: SMD 5050 with rated power of 30W;</li> <li>4. Luminous flux: 3200-4200lm;</li> <li>5. Installation height: 5 to 6meters; Mast outer diameter: 60mm</li> <li>6. Net Weight((kg): 10.0kg±5%</li> <li>7.Gross Weight (kg): 21.5kg±5%(2pcs/box)</li> <li>8.Product Dimension (mm)</li> </ol>   | 6Years   |
| XT1190SELD4<br>0-D5<br>40W     |  | <ol style="list-style-type: none"> <li>1. Solar Panel: Highly efficient monocrystalline silicon of 18V/55W;</li> <li>2. Battery: lifePO4 lithium battery of 30AH/12V.8;</li> <li>3. LED Light: SMD 5050 with rated power of 40W;</li> <li>4. Luminous flux: 4800-5600lm;</li> <li>5. Installation height: 6 to 7 meters; Mast outer diameter: 60 mm</li> <li>6. Net Weight((kg): 11.8kg±5%</li> <li>7.Gross Weight (kg): 25.5kg±5%(2pcs/box)</li> <li>8.Product Dimension (mm): 1190×370×86mm±5%</li> <li>9.Package Dimension(mm): 1210×225×445mm±5%</li> </ol> | 6Years   |
| XT1380SELD5<br>0-D5<br><br>50W |  | <ol style="list-style-type: none"> <li>1. Solar Panel: Highly efficient monocrystalline silicon of 18V/70W;</li> <li>2. Battery: LiFe PO4 lithium battery of 30Ah/12V;</li> <li>3. LED Light: SMD 5050 with rated power of 50W;</li> <li>4. Luminous flux: 6000-7000lm;</li> <li>5. Installation height: 7 to 8 meters; Mast outer diameter: 60mm</li> <li>6.Net Weight((kg): 15kg</li> <li>7.Gross Weight (kg): 32kg(2pcs/box)</li> </ol>  | 6Years   |

|  |   |   |               |
|--|---|---|---------------|
| <p>XT1535SELD6<br/>0-D5<br/><br/>60W</p> |     | <ol style="list-style-type: none"> <li>1. Solar Panel: Highly efficient monocrystalline silicon of 18V/80W;</li> <li>2. Battery: LiFe PO4 lithium battery of 35AH/12V;</li> <li>3. LED Light: SMD 5050 with rated power of 60W;</li> <li>4. Luminous flux: 7200-8400lm;</li> <li>5. Installation height: 8 to 9 meters; Mast outer diameter: 60mm</li> <li>10. Net Weight((kg): 17kg</li> <li>11. Gross Weight (kg): 36.5kg(2pcs/box)</li> </ol>              | <p>6Years</p> |
| <p>XT1209SELD3<br/>0-D5<br/><br/>30W</p> |    | <ol style="list-style-type: none"> <li>1. Solar Panel: Highly efficient monocrystalline silicon of 18V/50W;</li> <li>2. Battery: lifePO4 lithium battery of 21AH/12.8V;</li> <li>3. LED Light: SMD 5050 with rated power of 30W;</li> <li>4. Luminous flux:3600-4200 lm;</li> <li>5. Installation height: 5 to 6 meters; Mast outer diameter: 60-75 mm</li> <li>6. Net Weight((kg): 16.0kg</li> <li>7. Gross Weight (kg): 33.8kg(2pcs/box)</li> </ol>         | <p>6Years</p> |
| <p>XT1209SELD4<br/>0-D5<br/><br/>40W</p> |   | <ol style="list-style-type: none"> <li>1. Solar Panel: Highly efficient monocrystalline silicon of 18V/60W;</li> <li>2. Battery: lifePO4 lithium lithium battery of 24AH/12.8V;</li> <li>3. LED Light: SMD 5050 with rated power of 40W;</li> <li>4. Luminous flux: 4800-5600lm;</li> <li>5. Installation height: 6 to 7 meters; Mast outer diameter: 60-75 mm</li> <li>6. Net Weight((kg): 16.0kg</li> <li>7. Gross Weight (kg): 33.8kg(2pcs/box)</li> </ol> | <p>6Years</p> |
| <p>XT1025SELD<br/>40-D5<br/><br/>40W</p> |  | <ol style="list-style-type: none"> <li>1. Solar Panel: Highly efficient monocrystalline silicon of 18V/60W;</li> <li>2. Battery: lifePO4 lithium battery of 24AH/12.8V;</li> <li>3. LED Light: SMD 5050 with rated power of 40W;</li> <li>4. Luminous flux: 4800-5600lm;</li> <li>5. Installation height: 6 to 7 meters; Mast outer diameter: 60 mm</li> <li>6. Net Weight((kg): 15.4kg</li> <li>7. Gross Weight (kg): 32.4kg(2pcs/box)</li> </ol>            | <p>6Years</p> |
| <p>XT1215SELD5<br/>0-D5<br/>50W</p>      |  | <ol style="list-style-type: none"> <li>1. Solar Panel: Highly efficient monocrystalline silicon of 18V/70W;</li> <li>2. Battery: lifePO4 lithium battery of 30Ah/12.8V;</li> <li>3. LED Light: SMD 5050 with rated power of 50W;</li> <li>4. Luminous flux: 6000-7000lm;</li> <li>5. Installation height: 7 to 8 meters; Mast outer diameter: 60-89 mm</li> <li>6. Net Weight((kg): 18.5kg</li> <li>7. Gross Weight (kg): 39.0kg(2pcs/box)</li> </ol>         | <p>6Years</p> |
| <p>XT1355SELD6<br/>0-D5<br/><br/>60W</p> |  | <ol style="list-style-type: none"> <li>1. Solar Panel: Highly efficient monocrystalline silicon of 36V/80W;</li> <li>2. Battery: lifePO4 lithium battery of 18AH/25.6V;</li> <li>3. LED Light: SMD 5050 with rated power of 60W;</li> <li>4. Luminous flux: 7200-8400 lm;</li> <li>5. Installation height: 7 to 8 meters; Mast outer diameter: 89 mm</li> <li>6. Net Weight((kg): 21.0kg</li> <li>7. Gross Weight (kg): 45.0kg(2pcs/box)</li> </ol>           | <p>6Years</p> |

|  |   |   |               |
|--|---|---|---------------|
| <p>XT1505SELD7<br/>0-D5</p> <p>70W</p>   |     | <ol style="list-style-type: none"> <li>Solar Panel: Highly efficient monocrystalline silicon of 36V/90W;</li> <li>Battery: lifePO4 lithium battery of 21AH/25.6V;</li> <li>LED Light: SMD 5050 with rated power of 70W;</li> <li>Luminous flux: 8400-9800 lm;</li> <li>Installation height: 8 to 9 meters; Mast outer diameter: 89 mm</li> <li>Net Weight((kg): 22.3kg</li> <li>Gross Weight (kg): 47.0kg(2pcs/box)</li> </ol>  | <p>6Years</p> |
| <p>XT1655SELD8<br/>0-D5</p> <p>80W</p>   |    | <ol style="list-style-type: none"> <li>Solar Panel: Highly efficient monocrystalline silicon of 36V/100W;</li> <li>Battery: lifePO4 lithium battery of 24AH/25.6V;</li> <li>LED Light: SMD 5050 with rated power of 80W;</li> <li>Luminous flux: 9600-11200 lm;</li> <li>Installation height: 8to 9 meters; Mast outer diameter: 89 mm</li> <li>Net Weight((kg): 24.3kg</li> <li>Gross Weight (kg): 51.4kg(2pcs/box)</li> </ol>   | <p>6Years</p> |
| <p>XT1340SELD8<br/>0-D5</p> <p>80W</p>   |   | <ol style="list-style-type: none"> <li>Solar Panel: Highly efficient monocrystalline silicon of 36V/100W</li> <li>Battery: lifePO4 lithium battery of 24AH 25.6V;</li> <li>LED Light: SMD 5050 with rated power of 80W;</li> <li>Luminous flux:9600-11200lm</li> <li>Installation height: 8 to 9meters; Mast outer diameter: 89mm</li> <li>Net Weight((kg): 24kg±5%</li> <li>Gross Weight (kg): 50kg±5%(2pcs/box)</li> <li>Product Dimension (mm): 1,340*525*86mm±5%</li> </ol> | <p>6Years</p> |
| <p>XT1540SELD1<br/>00-D5</p> <p>100W</p> |  | <ol style="list-style-type: none"> <li>Solar Panel: Highly efficient monocrystalline silicon of 36V/120W;</li> <li>Battery: lifePO4 lithium battery of 30Ah/25.6V;</li> <li>LED Light: SMD 5050 with rated power of 100W;</li> <li>Luminous flux:12000-14000lm;</li> <li>Installation height: 9 to 10 meters; Mast outer diameter: 89mm</li> <li>Net Weight((kg): 29.5kg±5%</li> <li>Gross Weight (kg): 61.5kg±5%(2pcs/box)</li> <li>Product Dimension (mm):</li> </ol>         | <p>6Years</p> |
| <p>XT1750SELD1<br/>20-D5</p> <p>120W</p> |  | <ol style="list-style-type: none"> <li>Solar Panel: Highly efficient monocrystalline silicon of 36V/140W</li> <li>Battery: lifePO4 lithium battery of 36Ah/25.6V;</li> <li>LED Light: SMD 5050 with rated power of 120w</li> <li>Luminous flux: 14400-16800lm;</li> <li>Installation height: 10 to 12meters; Mast outer diameter: 89mm</li> <li>Net Weight((kg): 33kg±5%</li> <li>Gross Weight (kg):68kg±5%(2pcs/box)</li> </ol>  | <p>6Years</p> |